

Assessment of Water Quality Index of River Salandi at Hadagada Dam and Its Down Stream upto Akhandalmani, Bhadrak, Odisha, India

Pratap Kumar Panda^{1,*}, Rahas Bihari Panda², Prasant Kumar Dash³

¹Department of Chemistry, A.B College, Basudevpur, Bhadrak, Odisha, India
 ²Department of Chemistry, VSSUT, Burla, Odisha, India
 ³Department of Chemistry, Bhadrak Autonomous College, Bhadrak, Odisha, India
 *Corresponding author: pandapratap100@gmail.com

Abstract The river Salandi, originated from well-known bio-sphere of Similipal forest and joints with the river Baitarani near Akhandalmani, the Tinitar Ghat after passing through Hadagada dam, Agarpada and Bhadrak town. During the course of journey, it receives forest run off, untreated and semi treated mining wastes, agricultural wastes, industrial wastes of Ferro Alloys Corporation (FACOR) and urban wastes. In the present study, physico-chemical & bacteriological parameters of water were analyzed by collecting water samples from nine different stations in summer (April and May), rainy (August), post rainy (October) and in winter (December) during the year 2015 by applying standard procedures. The mean values of twelve important parameters were calculated for the entire year and were computed to water quality index (WQI) of river Salandi by using the weighted arithmetic index method. The water quality index (WQI) reveals that the quality of water is different at different monitoring stations i.e. quality is good at Hadagada dam, Satabhauni and Dhusuri, poor at Akhandalmani & very poor at Bidyadharapur, very poor and unfit for drinking purpose at Agarpada, Randia (FACOR) and Baudpur and belongs to class 'C' river water at Rajghat.

Keywords: standard procedures, WQI, weighted arithmetic index method, standard limit

Cite This Article: Pratap Kumar Panda, Rahas Bihari Panda, and Prasant Kumar Dash, "Assessment of Water Quality Index of River Salandi at Hadagada Dam and Its Down Stream upto Akhandalmani, Bhadrak, Odisha, India." *American Journal of Water Resources*, vol. 4, no. 2 (2016): 44-53. doi: 10.12691/ajwr-4-2-3.

1. Introduction

The fresh water is one among the fundamental, indispensable and essential natural resources as good quality of water is required for both micro and macro organism to maintain and promote day-to-day biochemical activities. The human body contains 70% of water by weight. It is a matter of surprise that water covers 71% of the total surface of the earth and only 3% of water is fresh. Out of this 3% of water 2.5% is stored in Antarctica in the form of ice [2]. Now- a- days, the proliferation of water pollution is being taken place due to rapid industrialization, urbanization and other anthropogenic activities which pose a challenge on the survival and propagation of future generation including both human, animal and plant kingdom [27,29]. In the present study, we have taken the river Salandi, originated from well-known biosphere of Similipal forest of Mayurbhanj district in Odisha & joins with the river Baitarani at Tinitar before its confluence in Bay of Bengal at Dhamara. A dam was built across the river Salandi at Hadagada in Anandapur sub-division of Keonjhar district for irrigation of large area.

After Hadagada, the river receives mining discharges from the Nuasahi Chromites mining belt while passing

through it as because there are three chromite mines, namely, Boula Open Caste and underground mines, Bangur Chromite mines and Nuasahi Chromite mines [1,28]. It is only the Bangur Chromite mines that release one lakh tons chromites ores per year& 7 lakh tons over burdens are excavated, which is responsible for the pollution of river Salandi by total chromium & hexavalent chromium in the form of mining discharges and surface run off [1,27,28,29]. There after the river passes through Bidhyadharpur barrage and Agarpada town & travels through 40 KM agricultural field and passes through FACOR industries at Randia and finally Bhadrak municipality where it receives industrial effluents, agricultural runoff and urban wastes. The aforesaid factors are responsible for the pollution of the river Salandi.


This paper deals with analysis of water samples collected from nine different stations during summer (April & May), rainy (August), post rainy (October) & winter season (December) for study of physico-chemical & bacteriological parameters by using standard procedures [24] in the year 2015. Finally, mean values of twelve important parameters have been computed for calculation of water quality index by using Weighted Arithmetic Index method [26] to depict the water quality of the river Salandi for the greater interest of the society.

2. Materials & Methods

2.1. Sampling Stations

The sampling stations were selected on the basis of gravity of expected concentrations of pollutants to meet the purpose. Water samples were collected from nine different stations in summer (April & May), rainy (August), post rainy (October) & in winter season (December) in the year 2015, described in Table 1 & different sampling stations of the river Salandi have been located in Map 1.

| | | Table 1. Location of different Sampling Stations |
|--------|----------------------|--|
| Sl No. | Name of Stations | Brief Description on Sampling Stations |
| 01 | Hadagada Dam | It is 40 KM from Bhadrak town and is a hilly & mining area where the river receives mining, agricultural and forest effluents from Similipal Biosphere. |
| 02 | Bidyadharpur | It is nearly 30 KM from Bhadrak town and a barrage is on the river Salandi where it receives mining and agricultural effluents. |
| 03 | Agarpada | It is 20 KM from Bhadrak town where the river receives agricultural wastes & urban wastes primarily. |
| 04 | Randia(FACOR) | At the bank of river Salandi, the village Randia, Ferro Alloys Corporation Industry is established where industrial effluents and agricultural effluents enter into the river. |
| 05 | Baudpur | It is 02KM from Bhadrak town where the river receives agricultural effluents. |
| 06 | Rajghat | It is situated at the heart of Bhadrak Municipality and nearest to the District head quarter hospital where mainly urban wastes and medical wastes enter into the river. |
| 07 | Satabhauni | It is around 15 KM away from Bhadrak town where the river receives mainly agricultural runoff as it is covered with plenty of agricultural lands |
| 08 | Dhusuri | It is around 30 KM from Bhadrak town where the river receives mainly agricultural wastes |
| 09 | Akhandalmani(Tintar) | It is more than 40 KM from Bhadrak town and is a confluence place of river Salandi & River Baitarani and thereafter the river runs towards Bay of Bengal where the river receives back flow of sea water due to tide and agricultural wastes |





Map 1. Location of sampling stations across river Salandi

2.2. Analysis of Physico-Chemical Parameters

Further the water samples which are collected in well cleaned plastic bottles by adding about to 2 ml conc. HNO₃ in each bottle (to avoid the precipitation of metals)

have been analyzed to study the physico-chemical & bacteriological parameters according to the method APHA, prescribed in 1995 [24]. TDS was measured by gravimetric method & total hardness was measured by complexometric method by using EDTA solution with

eriochrome black-T as indicator and calcium content was determined by EDTA with murexide as indicator. Sulphate was measured by turbidimetry method & iron was measured by using phenanthroline as indicator with the help of spectrophotometer at 510 nm. Total chromium & nitrate were measured by spectrophotometer at 540 nm & 275 nm respectively [1].

2.3. Fluoride, Chloride & Bacteria

The fluoride was determined by using SPAND reagent & acid zirconium chloride by spectrophotometer at 570 nm [22,23]. Chloride & bacteria were determined by titration method & H2S kit method respectively [1]. The analysis results of the months April, May, August, October & December have been reported in Table 2, Table 3, Table 4, Table 5 & Table 6 respectively. Finally mean values of twelve important parameters of nine monitoring stations have been placed in Table 7 for computation of water quality index.

| | | Cint | CACC | pt pm | un con | centi u | aons a | e expr | esseu II | i ing/ L | | | | | | |
|---|--------------------------|------------|------|-------|------------------|-----------|-------------------|------------------------------|-------------------------------|----------|------|----------|----------------|------------------|-----|-----|
| Place | pH | Turbi-dity | TDS | ТН | Ca ²⁺ | Mg^{2+} | SO4 ²⁻ | NO ₃ ⁻ | PO ₄ ³⁻ | Cl | Fe | Total Cr | F ⁻ | Cr ⁶⁺ | DO | BOD |
| Hadagada | 6.7 | 6 | 89 | 30 | 25 | 3.7 | 10 | 4.2 | 2.8 | 20 | 0.4 | 0.05 | 0.98 | < 0.01 | 7 | 2.5 |
| Bidyadharpur | 6.9 | 5 | 96 | 50 | 45 | 4.6 | 8 | 4.3 | 2.9 | 15 | 0.27 | 0.2 | 1.2 | 0.03 | 6.7 | 5 |
| Agarapada | 7.2 | 4 | 73 | 60 | 55 | 4.9 | 8 | 4.1 | 2.9 | 30 | 0.38 | 0.15 | 1.2 | 0.07 | 6.8 | 3.5 |
| Randia | 7.1 | 4 | 76 | 60 | 55 | 4.7 | 12 | 5.2 | 3.1 | 20 | 0.3 | 0.17 | 0.96 | 0.08 | 6.7 | 3.8 |
| Baudpur | 7.2 | 4 | 73 | 50 | 46 | 3.8 | 10 | 5.1 | 3.1 | 20 | 0.3 | 0.2 | 0.95 | 0.05 | 6.8 | 2.8 |
| Rajghat | 7.1 | 5 | 95 | 30 | 25 | 3.6 | 12 | 4.9 | 2.9 | 30 | 0.35 | 0.15 | 1 | 0.01 | 6.6 | 5.8 |
| Satabhauni | 6.8 | 6 | 95 | 70 | 65 | 4.3 | 8 | 4.2 | 2.8 | 20 | 0.3 | 0.11 | 1.1 | < 0.01 | 6.8 | 4.6 |
| Dhusuri | 6.9 | 5 | 92 | 60 | 55 | 4.4 | 8 | 4.8 | 2.6 | 20 | 0.3 | 0.08 | 0.96 | < 0.01 | 6 | 4.2 |
| Akhandalmani | 7.3 | 5 | 500 | 450 | 430 | 18 | 8 | 4.2 | 2.1 | 1745 | 0.43 | 0.05 | 0.45 | < 0.01 | 7 | 4.2 |
| Bacteria | Positive in all stations | | | | | | | | | | | | | | | |
| Standard value of Drinking Water IS-10500 | 6.5-8.5 | | | 300 | 75 | 45 | 150 | 45 | 5 | 250 | 0.3 | 0.5 | 0.6 | 0.05 | 6.0 | 3.0 |

 Table 2. WATER ANALYSIS REPORT OF RIVER SALANDI IN APRIL 2015

 Unit - except pH all concentrations are expressed in mg/L

Table 3. WATER ANALYSIS REPORT OF RIVER SALANDI IN MAY 2015 Unit - except pH all concentrations are expressed in mg/L

| | | 0. | n - call | pe pri | | | | i e enp | ebbear | | | | | | | · · · · · · |
|---|--------------------------|------------|----------|--------|------------------|-----------|-------------------|-------------------|-------------------|------|------|----------|----------------|------------------|-----|-------------|
| Place | pН | Turbi-dity | TDS | ТН | Ca ²⁺ | Mg^{2+} | SO4 ²⁻ | NO ₃ - | PO4 ³⁻ | Cl. | Fe | Total Cr | F ⁻ | Cr ⁶⁺ | DO | BOD |
| Hadagada | 7 | 6 | 96 | 80 | 75 | 4.5 | 8 | 4.1 | 2.6 | 25 | 0.43 | 0.05 | 0.93 | 0.01 | 7.2 | 2.6 |
| Bidyadharpur | 6.8 | 5 | 95 | 30 | 25 | 4.2 | 7 | 4.2 | 2.5 | 25 | 0.20 | 0.04 | 1.06 | 0.06 | 6.8 | 5.0 |
| Agarapada | 7 | 5 | 86 | 20 | 15 | 4.1 | 6 | 4.1 | 2.4 | 20 | 0.39 | 0.13 | 0.52 | 0.07 | 6.6 | 3.4 |
| Randia | 7 | 4 | 84 | 60 | 55 | 4.2 | 6 | 4.5 | 2.1 | 25 | 0.28 | 0.16 | 0.85 | 0.08 | 6.4 | 3.7 |
| Baudpur | 6.8 | 4 | 82 | 50 | 45 | 4.1 | 6 | 4.3 | 2.1 | 20 | 0.25 | 0.20 | 0.56 | 0.04 | 6.8 | 2.8 |
| Rajghat | 6.5 | 4 | 85 | 60 | 50 | 4.5 | 8 | 4.1 | 3.1 | 15 | 0.33 | 0.14 | 1.1 | 0.02 | 6.2 | 5.7 |
| Satabhauni | 6.9 | 5 | 85 | 70 | 60 | 4.6 | 7 | 4.1 | 2.9 | 15 | 0.21 | 0.12 | 1.2 | 0.01 | 6.4 | 4.7 |
| Dhusuri | 7 | 5 | 82 | 70 | 60 | 4.3 | 7 | 4.2 | 2.7 | 20 | 0.25 | 0.06 | 0.95 | 0.01 | 6.6 | 4.2 |
| Akhandalmani | 6.9 | 5 | 600 | 470 | 450 | 15 | 12 | 5.4 | 4.2 | 1750 | 0.47 | 0.06 | 0.42 | 0.02 | 6.9 | 2.0 |
| Bacteria | positive in all stations | | | | | | | | | | | | | | | |
| Standard value of Drinking Water IS-10500 | 6.5-8.5 | | | 300 | 75 | 45 | 150 | 45 | 5.0 | 250 | 0.3 | 0.5 | 0.6 | 0.05 | 6.0 | 3.0 |

Table 4. WATER ANALYSIS REPORT OF RIVER SALANDI IN AUGUST 2015 Unit - except pH all concentrations are expressed in mg/L

| | | | - except | pii u | i cone | ciiti ati | ons are | capie | obcu m | mg/ L | | | | | | |
|---|--------------------------|------------|----------|-------|------------------|-----------|-------------------|------------------------------|-------------------------------|-------|------|----------|----------------|------------------|-----|-----|
| Place | рН | Turbi-dity | TDS | ТН | Ca ²⁺ | Mg^{2+} | SO4 ²⁻ | NO ₃ ⁻ | PO ₄ ³⁻ | Cl. | Fe | Total Cr | F ⁻ | Cr ⁶⁺ | DO | BOD |
| Hadagada | 7.1 | 11 | 105 | 130 | 110 | 8.6 | 15 | 5.6 | 4.1 | 15 | 0.36 | 0.04 | 0.76 | < 0.01 | 7.2 | 5.0 |
| Bidyadharpur | 7.0 | 10 | 100 | 110 | 100 | 8.4 | 13 | 5.2 | 3.9 | 20 | 0.59 | 0.30 | 0.93 | 0.06 | 7.0 | 5.1 |
| Agarapada | 6.8 | 9 | 98 | 105 | 96 | 6.3 | 12 | 5.1 | 3.4 | 20 | 0.34 | 0.18 | 0.91 | 0.05 | 7.0 | 5.2 |
| Randia | 7.0 | 10 | 100 | 108 | 98 | 5.6 | 12 | 5.4 | 3.3 | 15 | 0.34 | 0.17 | 0.92 | 0.8 | 6.4 | 5.1 |
| Baudpur | 7.2 | 9 | 96 | 105 | 96 | 5.2 | 14 | 5.1 | 3.5 | 20 | 0.32 | 0.25 | 0.90 | 0.6 | 7.0 | 5.0 |
| Rajghat | 7.0 | 10 | 95 | 100 | 95 | 4.5 | 12 | 5.2 | 3.4 | 20 | 0.30 | 0.15 | 1.1 | 0.1 | 6.8 | 5.3 |
| Satabhauni | 7.1 | 10 | 98 | 110 | 98 | 4.8 | 12 | 5.4 | 3.8 | 20 | 0.30 | 0.05 | 0.90 | $<\!0.01$ | 7.0 | 5.0 |
| Dhusuri | 7.0 | 9 | 100 | 120 | 108 | 5.4 | 12 | 5.3 | 3.5 | 20 | 0.30 | 0.08 | 0.92 | < 0.01 | 7.0 | 4.9 |
| Akhandalmani | 7.2 | 10 | 800 | 480 | 460 | 18 | 15 | 5.6 | 4.2 | 1760 | 0.45 | 0.05 | 0.95 | < 0.01 | 7.0 | 4.4 |
| Bacteria | positive in all stations | | | | | | | | | | | | | | | |
| Standard value of Drinking Water IS-10500 | 6.5-8.5 | | | 300 | 75 | 45 | 150 | 45 | 5.0 | 250 | 0.3 | 0.5 | 0.6 | 0.05 | 6.0 | 3.0 |

| | | | Unit - ex | cept p | л ап | concem | rations | s are e | rpressed | t III IIIĘ | ;/L | | | | | |
|---|--------------------------|------------|-----------|--------|------------------|-----------|---------------------------------------|------------------------------|-------------------|------------|------|----------|----------------|------------------|-----|-----|
| Place | pН | Turbi-dity | TDS | TH | Ca ²⁺ | Mg^{2+} | SO ₄ ² · | NO ₃ ⁻ | PO4 ³⁻ | Cl. | Fe | Total Cr | F ⁻ | Cr ⁶⁺ | DO | BOD |
| Hadagada | 7.1 | 10 | 108 | 140 | 115 | 8.8 | 20 | 5.8 | 4.8 | 20 | 0.3 | 0.06 | 0.75 | 0.01 | 7.0 | 5.2 |
| Bidyadharpur | 7.3 | 10 | 104 | 155 | 120 | 8.4 | 18 | 5.4 | 4.6 | 25 | 0.58 | 0.34 | 0.91 | 0.04 | 7.1 | 5.3 |
| Agarapada | 7.2 | 9 | 102 | 115 | 100 | 6.5 | 15 | 5.2 | 4.4 | 25 | 0.35 | 0.20 | 0.91 | 0.05 | 6.8 | 5.3 |
| Randia | 7.1 | 10 | 103 | 110 | 100 | 5.8 | 15 | 5.6 | 4.3 | 18 | 0.35 | 0.20 | 0.92 | 0.08 | 6.8 | 5.5 |
| Boudpur | 7.1 | 8 | 102 | 106 | 98 | 5.3 | 16 | 5.3 | 4.3 | 25 | 0.32 | 0.22 | 0.90 | 0.06 | 6.8 | 5.3 |
| Rajghat | 7.2 | 10 | 100 | 110 | 98 | 4.8 | 15 | 5.4 | 4.2 | 25 | 0.30 | 0.18 | 1.0 | 0.03 | 6.4 | 5.3 |
| Satabhauni | 7.1 | 10 | 100 | 120 | 100 | 5.3 | 16 | 5.6 | 4.4 | 25 | 0.30 | 0.05 | 0.89 | 0.01 | 6.7 | 5.3 |
| Dhusuri | 7.1 | 9 | 100 | 126 | 110 | 5.6 | 17 | 5.6 | 4.5 | 25 | 0.30 | 0.07 | 0.91 | < 0.01 | 6.7 | 5.2 |
| Akhandalmani | 7.3 | 11 | 820 | 500 | 470 | 20 | 18 | 5.8 | 5.4 | 1760 | 0.50 | 0.06 | 0.94 | < 0.01 | 7.1 | 4.8 |
| Bacteria | Positive in all stations | | | | | | | | | | | | | | | |
| Standard value of Drinking Water IS-10500 | 6.5-8.5 | | | 300 | 75 | 45 | 150 | 45 | 5 | 250 | 0.3 | 0.5 | 0.6 | 0.05 | 6.0 | 3.0 |

 Table 5. WATER ANALYSIS REPORT OF RIVER SALANDI IN OCTOBER, 2015

 Unit - except pH all concentrations are expressed in mg/L

Table 6. WATER ANALYSIS REPORT OF RIVER SALANDI IN DECEMBER,2015 Unit - except pH all concentrations are expressed in mg/L

| | | Unit - | слеері | pii a | | inti attoi | - | | | | | | - | r | | · · · · · · · · · · · · · · · · · · · |
|---|--------------------------|------------|--------|-------|------------------|------------|--------------------------------------|-------------------|-------------------|-----|------|----------|------|------------------|-----|---------------------------------------|
| Place | pН | Turbi-dity | TDS | TH | Ca ²⁺ | Mg^{2+} | SO ₄ ²⁻ | NO ₃ . | PO4 ³⁻ | Cľ | Fe | Total Cr | F | Cr ⁶⁺ | DO | BOD |
| Hadagada | 6.9 | 07 | 100 | 56 | 40 | 6.2 | 12 | 4.8 | 3.8 | 25 | 0.59 | 0.04 | 0.25 | $<\!0.01$ | 7.2 | 5.0 |
| Bidyadharpur | 7.2 | 06 | 98 | 60 | 45 | 6.1 | 10 | 4.6 | 3.6 | 20 | 0.76 | 0.32 | 0.25 | 0.02 | 7.0 | 5.1 |
| Agarapada | 7.2 | 05 | 92 | 64 | 48 | 5.6 | 10 | 4.5 | 3.4 | 15 | 0.52 | 0.18 | 0.28 | 0.02 | 6.8 | 5.1 |
| Randia | 7.4 | 05 | 96 | 66 | 48 | 5.8 | 12 | 4.6 | 3.2 | 20 | 0.48 | 0.20 | 0.15 | 0.08 | 6.7 | 5.2 |
| Boudpur | 7.2 | 05 | 94 | 65 | 45 | 5.5 | 10 | 4.5 | 3.2 | 20 | 0.44 | 0.18 | 0.15 | 0.06 | 7.0 | 5.1 |
| Rajghat | 7.0 | 06 | 92 | 70 | 56 | 5.0 | 12 | 4.4 | 3.6 | 20 | 0.44 | 0.18 | 0.15 | 0.02 | 6.5 | 5.3 |
| Satabhauni | 7.1 | 06 | 89 | 75 | 58 | 5.5 | 10 | 4.5 | 3.2 | 20 | 0.43 | 0.02 | 0.10 | 0.01 | 6.7 | 5.2 |
| Dhusuri | 7.2 | 05 | 90 | 80 | 62 | 5.5 | 10 | 4.5 | 3.5 | 20 | 0.43 | 0.02 | 0.10 | $<\!0.01$ | 6.7 | 5.2 |
| Akhandalmani | 7.3 | 08 | 680 | 315 | 275 | 15 | 15 | 5.1 | 4.7 | 75 | 4.9 | 0.05 | 0.05 | < 0.01 | 7.1 | 4.8 |
| Bacteria | Positive in all stations | | | | | | | | | | | | | | | |
| Standard value of Drinking Water IS-10500 | 6.5-8.5 | | | 300 | 75 | 45 | 150 | 45 | 5 | 250 | 0.3 | 0.5 | 0.6 | 0.05 | 6.0 | 3.0 |

Table 7. MEAN Values for twelve important parameters, 2015

| Name of Parameters | Hadagada | Bidyadharpur | Agarapada | Randia | Baudpur | Rajghat | Satabhauni | Dhusuri | Akhandalmani |
|--------------------|----------|--------------|-----------|--------|---------|---------|------------|---------|--------------|
| P ^H | 6.96 | 7.04 | 7.08 | 7.12 | 7.10 | 6.96 | 7.0 | 7.04 | 7.2 |
| TDS | 99.6 | 98.6 | 90.2 | 91.8 | 89.4 | 93.4 | 93.4 | 92.8 | 680 |
| TH | 87.2 | 81 | 72.8 | 80.8 | 75.2 | 74 | 89 | 91.2 | 443 |
| SO4 ²⁻ | 13 | 11.2 | 10.2 | 11.4 | 11.2 | 11.8 | 10.6 | 10.8 | 13.6 |
| NO ₃ | 4.9 | 4.74 | 4.6 | 5.06 | 4.86 | 4.8 | 4.76 | 4.88 | 5.22 |
| PO4 ³⁻ | 3.62 | 3.5 | 3.3 | 3.2 | 3.24 | 3.44 | 3.42 | 3.36 | 4.12 |
| CI. | 21 | 21 | 22 | 19.6 | 21 | 22 | 20 | 21 | 1418 |
| Fe | 0.416 | 0.48 | 0.396 | 0.35 | 0.326 | 0.344 | 0.308 | 0.316 | 1.35 |
| F ⁻ | 0.734 | 0.87 | 0.764 | 0.76 | 0.692 | 0.87 | 0.838 | 0.772 | 0.562 |
| Cr ⁶⁺ | 0.0094 | 0.042 | 0.052 | 0.08 | 0.054 | 0.018 | 0.0096 | 0.0092 | 0.0112 |
| DO | 7.12 | 6.92 | 6.8 | 6.6 | 6.88 | 6.5 | 6.72 | 6.6 | 7.02 |
| BOD | 4.06 | 5.1 | 4.5 | 4.66 | 4.2 | 5.48 | 4.96 | 4.74 | 4.04 |

| Table 8. water qu | uality index of | sampling station | hadagada, 2015 |
|-------------------|-----------------|------------------|----------------|
|-------------------|-----------------|------------------|----------------|

| Sl. No | Parameters | Observed Values (Mean) | Standard Values (Si) | Unit Weight (Wi) | Quality rating (Qi) | WiQi | Remarks |
|-------------------|-------------------------------|---------------------------|-------------------------|---------------------|------------------------|---------|-----------------------------------|
| 1 | P ^H | 6.96 | 8.5 | 0.117 | -2.666 | -0.311 | |
| 2 | TDS | 99.6 | 500 | 0.002 | 19.92 | 0.039 | |
| 3 | TH | 87.2 | 300 | 0.003 | 29.066 | 0.087 | |
| 4 | SO4 ²⁻ | 13 | 150 | 0.006 | 8.666 | 0.051 | $WQI = \frac{\sum WiQi}{\sum Wi}$ |
| 5 | NO ₃ ⁻ | 4.9 | 45 | 0.022 | 10.888 | 0.239 | $WQI = \frac{1}{\sum Wi}$ |
| 6 | PO ₄ ³⁻ | 3.62 | 5 | 0.2 | 72.4 | 14.48 | 1116.1529 |
| 7 | Cl | 21 | 250 | 0.004 | 8.4 | 0.0336 | = |
| 8 | Fe | 0.416 | 0.3 | 3.333 | 138.666 | 462.173 | 25.8526 |
| 9 | F ⁻ | 0.734 | 0.6 | 1.666 | 122.333 | 203.806 | = 43.1737(Good) |
| 10 | Cr ⁶⁺ | 0.0094 | 0.05 | 20 | 18.8 | 376 | |
| 11 | DO | 7.12 | 6 | 0.1666 | 86.9767 | 14.4903 | |
| 12 | BOD | 4.06 | 3 | 0.333 | 135.333 | 45.065 | |
| $\sum \mathbf{V}$ | Vi = 25.8526 | $\sum WiQi = 2$ | 1116.1529 | | | | |

Water quality index is a modern method that depicts the whole water quality of any water body through a single number, developed by considering the combined effect of important physico-chemical parameters. In the present study, weighted Arithmetic Index method²⁶ has been used preferably to calculate Water Quality Index of the river Salandi due to following reasons:

- It classifies the water quality of any water body i) according to degree of purity by using most commonly measurable parameters and it is widely used by the different scientists, workers and organisations [5,38,39,40,41,42].
- ii) It reflects overall effects of different parameters for better assessments and managements of water quality of any water body under study.
- iii) Less number of parameters are required in comparison to other methods.
- iv) It reflects the suitability of both surface and ground water sources for human consumption [43].

This method includes following steps which is explained briefly.

Quality rating scale of each parameter is 1)calculated [34] by using following formula quality rating scale

$$(Qi) = \left[(Vo - Vi) / Vs - Vi \right] 100$$

Where Vo= observed value or mean of the observed values of any parameter.

Vi= ideal value of that particular parameter

Vi=0 for all parameters except p^{H} & DO

Vi for $p^{H} = 7$ & Vi for DO= 14.6 mg/l.

Vs= Standard permissible value of particular parameter, determined by WHO.

Calculation of relative unit weight (Wi)- The (2)relative unit weight of any parameter (Wi) α 1/Si or Wi= K/Si

Where Si= standard permissible value of particular parameter

K= proportionality constant.

- For the sake of simplicity K is taken as 1.
- Finally water quality index= $\frac{\sum WiQI}{\sum WI}$ 3)

The overall quality of any water body is assessed by using following WQI level given below:-

| WQI Level | Water Quality | Grading | 5 |
|----------------|--------------------------|---------|---|
| 0 -25 | excellent | А | |
| 25 - 50 | good | В | |
| 51 - 75 | Poor | С | |
| 76 - 100 | Very Poor | D | |
| >100 | Unfit for Drinking Purpo | se | Е |
| In other words | | | |

0 < WQI < 100 fit for human use i.

0> WQI>100 unfit for human use [15]. ii.

Water Quality Index (WQI) of monitoring station Hadagada has been given in Table 8 as for example & WQI for other eight monitoring stations have been calculated in a similar way & presented in Table 9 for study and to derive conclusion.

| Sl No. | Name of Stations | WQI | Water Quality |
|--------|-----------------------|----------|---|
| 1 | Hadagada | 43.1737 | Good |
| 2 | Bidyadharpur | 98.3067 | Very Poor |
| 3 | Agarpada | 108.7467 | Very Poor & unfit for Drinking purposes |
| 4 | Randia | 147.0829 | Very Poor & unfit for Drinking purposes |
| 5 | Baudpur | 108.0049 | Very Poor & unfit for Drinking purposes |
| 6 | Rajghat | 55.4871 | Class 'C ' River water |
| 7 | Satabhauni | 44.3559 | Good |
| 8 | Dhusuri | 39.2897 | Good |
| 9 | Akhandalamani(Tintar) | 83.8872 | Very Poor & unfit for Drinking purposes |

le 0. Water Quality of river Salandi for nine monitoring Stations

3. Result & Discussion

WOI

The water quality index of present water body under study has been assessed by taking twelve important parameters into consideration & has been presented in Table 9. The value calculated are 43.1737, 98.3067, $108.7467,\,147.0829,108.0049,55.4871,44.3559,39.2897 \ \&$ 83.88718 for monitoring stations Hadagada, Bidyadharpur, Agarpada, Randia, Baudpur, Rajghat, Satabhauni, Dhusuri & Akhandalmani respectively. It indicates that different stations have different WQI values & hence different water quality [5,19,26,30,37]. Further WQI calculated for different monitoring stations has been supported by the interpretation of following physico- chemical parameters along with graphs given & it highlights that no station comes under class A quality. Besides, the monitoring stations at Hadagada, Satabhauni & Dhusuri come under class B, Rajghat comes under class C, Bidyadharpur,

Baudpur & Akhandalmani are very poor and unfit for drinking purposes.

р^н

The p^H of water sample of nine monitoring stations was measured form the month of April to December in 2015. It was observed that although there is slight variation, but it is within the prescribed standard limit IS-10500 [25] (6.5 - 8.5). Further higher p^H is observed from the month of April to December except May in the monitoring stations from Hadagada to Dhusuri. The comparatively low p^{H} in the month of May can be attributed due to low flow of water which raises the concentrations of acidic pollutant [1,3]. The higher p^{H} may be due to photosynthesis by aquatic plants as in the process of photosynthesis the aquatic plants [3,17,18] consume dissolved carbon dioxide and hence increases p^H. Besides, high water content of the river dilutes the pollutants [36]. But at the monitoring station Akhandalmani the pH changes from 6.9 (in May) to 7.3 (in other months). The lower p^{H} in the month of May can be due to unseasonal rainfall runoff in the coastal region as because Akhandalmani is nearer to Bay of

Bengal.The mean value of pH from the month of April to December, 2015 for nine different stations is given in Figure 1. From the mean value, it is evident that pH is lowest in Hadagada (6.96) and increases gradually up to Baudpur and then decreases and reaches minimum at Rajghat (6.9) and again increases to maximum at Akhandalmani (7.2). The lowest pH at Hadagada is due to receiving of forest runoff, mining runoff and lowest pH at Rajghat may be due to the receiving of medical wastes as district head quarter hospital and private hospitals are closer to it.




Figure 1. P^H for nine different sampling stations, 2015

TDS & Turbidity

The variation of TDS & turbidity is nearly equal. But from the month of August to October, both TDS & Turbidity are higher due to high rain fall run off, forest run off, mining run off, agriculture run off along with entering of domestic wastes to the river water in large scale [19,20]. The higher TDS value in the monitoring station at Akhandalmani from the month of April to October is due to the back flow of sea water [35] as because the station is nearer to sea shore. The mean TDS value from April to December, 2015 for nine different stations is given in Figure 2.




Figure 2. TH & TDS for nine different sampling stations, 2015

TH, Ca, Mg, NO₃, SO₄, PO₄ & Cl

All the values for above parameters except TH, Ca & PO_4 are within the prescribed limit for drinking water IS-10500, in rainy (August) and post rainy (October) though there is variation in quantity. But the monitoring station at Akhandalmani, the results are high in all times of monitoring as back flow of sea water takes place from the sea (Bay of Bengal). But it is worth mentioning that the results are higher in rainy (August) & post rainy (October)

than summer & winter. Further it is marked that mean values of TH increase from Hadagada (87.2) to Dhusuri (92.2) in an irregular way & between the months of April & May, TH is higher in May than April due to low flow of water that raises the concentrations. The higher values of all parameters in rainy & post rainy than summer and winter is due to entering of mining effluents, Industrial effluents, urban waste and agricultural effluents along with forest run off and anthropogenic activities such as

septic tank effluents, animal feeds and use of bleaching reagents by launderers. The agricultural effluents contribute significantly as pesticides and certain fertilizers such as Calcium Ammonium Nitrate (CAN), basic calcium nitrate, calcium superphosphate used by the farmers for cultivation purpose release sulphates, nitrates, calcium, phosphates and heavy metals to surface water bodies [6,14,21,31,36]. In ideal condition plants use only

50% of nitrogenous fertilizers applied, 2-20% lost due to evaporation 15-25% reacts with organic compound of soil & remaining 2-10% interfere with surface & ground water [21]. The mean value of TH from April to December, 2015 for nine different stations is given in Figure 2 & mean values of SO₄ and NO₃ for the above nine stations are given in Figure 3.




Figure 3. SO4²⁻ & NO₃⁻ for nine different sampling stations, 2015

Fe (>0.3) & Cr (>0.05)

Iron & hexavalent Chromium are found to exceed permissible level or touching the permissible level in the monitoring stations during summer, rainy, post rainy & winter season. This is mainly due to the receiving of mining effluents from Nuasahi Chromite belt, Industrial sector at Randia (FACOR), urban effluents of Bhadrak Municipality and agricultural effluents. The high concentration of Iron (> 0.3) at Bidyadharapur in the month of August (0.59) and October (0.58) is due to the mixing of the mining effluents in the river water and particularly in the month of December, it is much more in all monitoring stations (0.59 at Hadagada to 4.9 at Akhandalmani) in comparison to other months. It may be due to interaction of soil containing iron ore with water that promotes the mixing of iron with river water, happened at the lower part of the river as because water level is very low due to low flow of water [6].

As regards hexavalent chromium, its permissible value is 0.05ppm (IS-10500), but at the monitoring station Randia, the river water contains more than the permissible level. It is due to discharge of chromium effluents from ferro-chrome plant at Randia [28,29]. Further it is observed that Hexavalent chromium is more in the month of August and October. It may be due to the excessive use of some chemical fertilizers and pesticides that contains heavy metals chromium [7,9,14,21,36]. Presently some chromite mines are not running due to lack of environmental clearances as well as forest clearances. But earlier report of pollution control board revealed that they have discharged the effluents of high concentration of chromium to the river Salandi. Although presently some chromite mines are not running, but mining wastes left by them earlier without proper treatment has resulted open exposure of chromite mixed soil to the atmosphere and pollutes the river Salandi with chromium through atmospheric rain water precipitations as the river Salandi is the only natural drainage system in the study area. Hence more concentration of hexavalent chromium in the month of August and October is found in the monitoring stations from Bidyadharapur to Baudpur is due to the entering of mining run off, industrial runoff, agricultural runoff [8,10] & atmospheric precipitations [11,12,13] to the river Salandi. The mean value of Fe & hexavalent Cr from April to December, 2015 for nine different monitoring stations are given in Figure 4. From the mean values of iron it is evident that the concentration of iron increases from Hadagada to Bidyadharpur and decreases gradually and reaches maximum at Akhandalmani (1.35). It is due to entry of mining effluents to the river and it is diluted from upstream to downstream. The highest value of iron at Akhandalmani may be due to the back flow of sea water that might contain higher amount of iron [36].

3.1. Dissolved Oxygen (DO)

The dissolved oxygen is a crucial parameter for river water system which supports the survival of aquatic creatures & its value less than 6 mg/L (minimum requirement) will endanger the life of aquatic creatures [25]. But due to indiscriminant discharge of industrial, urban, mining, agricultural & domestic wastes to the river system, the dissolved oxygen value is decreased as it is used in redox reaction process to stabilize the pollutant in water bodies. Further anthropogenic activities such as washing of clothes, open defecation & picnic in river bed add fuel to the fire [19,21].

In the present study, it is seen from the monitoring values of river Salandi that dissolved oxygen values are constantly influenced from upstream to downstream by the aforesaid factors. The mean values of dissolved oxygen decreases gradually from Hadagada (7.12) to Akhandalmani (7.02) through mid stream with lowest at

Rajghat (6.5). Further it is observed that lower value of dissolved oxygen from 6.7 to 6.8 in the mining belt & 6.2 to 6.6 mg/L at Rajghat during summer (April & May) may be due to eutrophication & mixing of mining & urban contaminants to the river water. The higher values of dissolved oxygen in rainy (August) & post rainy (October) is due to high flow of rain water, flood & aeration that dilute the organic pollutants in the river [1,35]. The mean DO value from April to December, 2015 for nine different stations is given in Figure 5.




Figure 4. Fe & Cr⁶⁺ for nine different sampling stations, 2015




Figure 5. DO & BOD for nine different sampling stations, 2015

3.2. Biochemical Oxygen Demand (BOD)

Biochemical oxygen demand is an indicator of water pollution & BOD value (>3.0 mg/L) implies that water is polluted. More the value of BOD more the pollution & vice-versa [27]. It is seen from the mean value of BOD of nine monitoring stations that, BOD varies from 4.06 (Hadagada) to 4.04 (Akhandalmani) & highest 5.48 (Rajghat). From the data tables, it is further observed that, BOD values are either more than the permissible value (3.0 mg/L) or close to the permissible value. & it is higher in rainy (August), post rainy (October) & winter (December) than the summer (April & May). The higher values in rainy season can be attributed to high rain water flow & flood in the river that carries more forest runoff containing biological residue as the study area is close to Similipal reserve forest, mining effluents, industrial effluents, agricultural runoff, urban wastes & domestic wastes [4,19,21]. Further, the higher value in the month of December may be due to discharge of picnic wastes & washing of motor vehicles to the river water as Hadagada is a very big picnic spot & attracts the thousands of picnic parties to it during winter season [4,19]. Besides, low flow of water & precipitations of contaminated dusts through rain pollutes the river Salandi. The mean BOD value from April to December, 2015 for nine different stations is given in Figure 5.

3.3. Fluoride (F)

The fluoride, responsible for fluorosis is within the permissible range (<1.5 mg/L), according to WHO guideline-2004 & BIS-2003 [25,32]. It is observed from the mean values calculated for the year 2015 for nine stations that it varies from 0.734 mg/L at Hadagada to downstream at Akhandalmani (0.562 mg/L) & highest at Bidyadharpur (0.87 mg/L) and at Rajghat (0.87 mg/L). The higher concentrations of fluoride [22,23] at Rajghat may be due to disposal of medical wastes to the river Salandi as District head quarter hospital & several private hospitals are nearest to Rajghat.

3.4. Bacteriological Tests

Bacteriological tests were done through H_2S kit method for nine monitoring stations & it was found that bacteria are positive in all stations starting from Hadagada to Akhandalmani. It confirms that the river Salandi is contaminated and unfit for drinking purpose without proper treatment [1].

4. Conclusions

The river Salandi, during its course of flow, starting from Hadagada to the confluence place Akhandalmani (Tinitar) receives mining effluents at Nuasahi chromites mining belt, industrial effluents at Randia (FACOR), urban wastes at Bhadrak Municipality, agricultural effluents [28] at Agarapada and domestic wastes. The WQI reveals that the quality of water is different at different monitoring stations that are good at Hadagada, Satabhauni and Dhusuri, very poor at Bidyadharpur, very poor and unfit for drinking use at Agarpada, Randia, Baudpur and Akhandalmani. The bacteriological test is positive in all monitoring stations. The contamination of river water takes place from Bidyadharpur to Randia at Ferro Alloys Corporation (FACOR) is due to receiving of mining effluents, industrial effluents, agricultural effluents as well as urban wastes. Further, at Rajghat, The pollution of river water is due to receiving of medical wastes and municipality discharges as because district head quarter Government hospital and other private hospitals are nearest to it [1,27]. The river after passing Bhadrak town is free from pollution. It is due to dilution and by natural

processes where the pollutants are stabilized. But at Akhandalamani (Tinitar), again water is polluted due to back flow of sea water as it is nearer to the Bay of Bengal. Hence water will render unfit for human consumption according to standard prescribed by IS-10500 [25] and WHO guidelines [32].

Hence urgent measures such as disinfection and electro dialysis and particularly for hexavalant chromium reaction with SO2 in acidic medium, followed by lime treatment to precipitate as chromium hydroxide along with other approved modern technology shall be taken to treat the water carefully by the appropriate authorities otherwise it will pose a serious problem to the dwellers [18,27,33].

Acknowledgement

The authors are thankful to the Vice Chancellor, VSSUT, the Principal, Bhadrak Autonomous College, Bhadrak, and Executive Engineer, RW&SS for providing laboratory facilities for carrying out this research work. Further the first author is thankful to Mr. C. K. Sahoo, HOD chemistry, AB College, Basudevpur for constant cooperation and encouragement. No fund has been received from any source for this work.

References

- Panda P K, Panda R B & Dash P K: Pollution load of river Salandi in Boula Nuasahi mining belt, urban area at Bhadrak & it's down streams in Odisha: IJIEASR, 4 (12), 15-23 (2015).
- [2] Bhadra A K, Sahu B& Rout S P:A study of water quality index (WQI) of the river Brahmani, Odisha(India) to assess its potability:Int J of Current Engg & Tec, Vol-4 (06), (2014).
- [3] Hujare M S: Seasonal variation of physico chemical parameters in perennial tank of Talsande, Maharastra, Ecotoxicol. Environ. Monit, 18(3), 233-242 (2008).
- [4] Pradhan U K, Shirodkar P V & sahu B K: Physico chemical evaluation of its seasonal changes using Chemo metric techniques, Current Science, 96(9), 1203-1209 (2009).
- [5] Tyagi S, Sharma B,Sing P & Dobhai R:Water quality assessment in terms of Water Quality Index, Science & Education Publishing, AJWR, Vol-I(3), 34-38 (2013).
- [6] Reza R & Sing G:Heavy metal contamination & its indexing approach for river water, Int J Environ. Sci Tech, 7(4), 785-792 (2010).
- [7] Ammann A A, Michalke B & Schramel P: Specification of heavy metals in environmental water by ion chromatography coupled to ICP-MS, Anal. Bioanal.Chem, 372 (3), 448-452 (2002).
- [8] Bird G, Brewer P, Macklin M, Balteanu D, Driga B, Serban M & Zaharia S : The solid state partitioning of contaminant metals and as in river channel sediments of mining affected Tisa drainage basin, North western Romania and eastern Hungary, Appl Geo Chem,18(10),1583-1595 (2003).
- [9] Hatje V, Bidone E D & Maddock J L: Estimation of natural & anthropogenic components of heavy metal fluxes in fresh water Sinos river, Rio Griande do Sul State, South Brazil, Environ. Tech., 19(5), 483-487 (1998).
- [10] Kraft C,Tumpling W & Zachmann D W :The effect of mining in Northern Romania on the heavy metal distribution in sediments of river Szamos & Tisza, Hungary, Acta Hiroshima Hydrobiol, 34, 257-264 (2006).
- [11] Pandey J, Subhashish K & Pandey R: Metal contamination of Ganga river as influenced by atmospheric deposition, Bull Environ Contam Toxicol, 83 (2), 204-209 (2009).
- [12] Wong C S C, Li X D, Zhang G, Qi S H & Peng S Z : Atmospheric deposition of heavy metals in the Pearl river delta, China, Atmos Environ, 37 (6),767-776 (2003).
- [13] Wu Y F, Liu C Q & Tu C L: Atmospheric deposition of metal in TSP of Guiyang, PR China, Bull Environ Contamination Toxicol, 80 (5), 465-468 (2008).

- [14] Rim-Rukeh A, Lkhifa O G, & Okokoyo A P: Effect of agricultural activities on the water quality of orogodo river, Agbor Nigeria, J Appl Sci Res, 2 (5), 256-259(2006).
- [15] Padmanav B & Belagaali S L: Comparative study on water quality index of four lakes in the Mysore city, IJEP, 25, 941-942 (2005).
- [16] Swarnalatha P, Rao K N, Kumar P V R & Harikrishna M :Water quality assessment by using an index at village level- A case study, Poll Res, 26,619-622 (2007).
- [17] Begum A & Harikrishna M: Study on quality of water on some stream of Cauvery River, E J Chemistry, 5, 377-384 (2008).
- [18] Gray N F: Water Technology. An introduction for environmental scientists & Engineers, 2nd edition, Elsevier India Pvt. Ltd., New Delhi (2005).
- [19] Kalavathy S, Sharma T R & Kumar P S: Water quality index of River Cauvery in Tiruchirappali, Tamilnadu, ARCH, ENVIRON. Sci 5, 55-61 (2005).
- [20] Martin P & Haniffa M A: Water quality profile in South India river Tamiraparani, IJEP, 23,286-292 (2003).
- [21] Serpil S: An agricultural pollutants-chemical fertilizers, Int J Env Sci & Dev, 3 (1), (2012).
- [22] Panda R B et al, Occurrence of Fluoride in ground water of Patripal Panchayat in Balasore district, Odisha, India, Journal of Environment, 01 (02), 33-39 (2012).
- [23] Oberoi J & Gupta K C : Occurrence of fluoride in ground water of various villages of district Ambala, Haryana, Poll res, 29 (3), 435440 (2010).
- [24] American Public Health Association (APHA), AWWA, Standard methods of the examination of water & waste water, Washington DC, 7th edition (1995).
- [25] BIS IS 10500, Indian Standard for Drinking Water Bureau of Indian Standards (IS- 10500 – 91), New Delhi (1991).
- [26] Cude C: Oregon Water Quality Index: A tool for evaluating water quality management effectiveness, Journal of American Water Resources Association, 37, 125-137 (2001).
- [27] Dash M C: Ecology, Chemistry & Management of Environmental Pollution, Ist Edition, Mac Millan India Limited, New Delhi,(2004) 82-85.
- [28] Environmental Impact Assessment & Environmental Management plan of Boula Chromite mines, FACOR Ltd., Source, state Pollution Control Board, Odisha (1994).
- [29] Kaur H, Environmental Chemistry, 5th revised Edition, Pragati Prakashan, India, 223-224 (2010).

- [30] Karim AA & Panda R B Assessment of water quality of Subarnarekha river in Balasore region, Odisha, India, Current World Environment, 9 (2),437-446, (2015).
- [31] Satya Prakash's Modern Inorganic Chemistry by R D Madan, 2nd Edition, S Chand & Co., India (2006) 1077-1088.
- [32] WHO guidelines for drinking water quality, Health criteria and other supporting informations, Geneva, Switzerland, Vol-2 (1984).
- [33] Waste Water Concept & Design Approach by Karia G L & Christian R A, 1st Edition, Prentice Hall of India, Ltd., New Delhi (2006).
- [34] Panigrahi S & Patra A K: Water Quality Analysis of river Mahanadi in Cuttack City, Odisha, India, Ind J I Sci,2 (2),27-33 (2013).
- [35] Samantray P, Mishra B K, Panda C R & Rout S P : Assessment of water quality index in Mahanadi & Atharabanki rivers & Taladanda canal in Paradeep Area, India, J Hum Ecol, 26 (3), 153-161 (2009).
- [36] Kar D, Sur P, Mandal S K, Saha T & Kole R K: Assessment of heavy metal pollution in surface water, Int J Environ.Sci Tech, 5 (1), 119-124 (2008).
- [37] Panda R B, Sinha B K & Sahu B S :Water Quality Index of the river Brahmani at Rourkela Industrial Complex of Orissa, J.Eco.Toxico.Env. Monitoring 1 (3), 169-175 (1991).
- [38] Chauhan A & Singh S: Evaluation of Ganga waters for drinking purposes by water quality index at Rishikesh, Utarakhand, India, Report Opinion 2 (9), 53-61 (2010).
- [39] Choudhury R M, Muntasir S Y & Hossain M M: Water quality index of water bodies along Faridpur-Barisal road in Bangladesh, Glob.Engg.Tech.Rev, 2 (3),1-8 (2012).
- [40] Rao C S, Rao B S, Hariharan AVLNSH & Bharathi N M: Determination of water quality index of some areas in Guntur district, AndhraPradesh, Int J Appl.Bio.Pharma.Tech. 1 (1), 79-86 (2010).
- [41] Balan I N, shivakumar M & Kumar P D M: An assessment of ground water quality using water quality index in Chennai, Tamil Nadu, India, Chronicles Young Scient. 3(2), 146-150 (2012).
- [42] Rown R M, Mc Cleiland N J, Deiniger R A & O ConnorM F A: Water quality index-Crossing the physical barrier (Jenkis.S.H,ed) Proceedings in international conference on water pollution research, Jerusalem 6, 787-797 (1972).
- [43] Akoteyon I S, Omotayo A O, Soladoye O & Olaoye H O: Determination of water quality index and stability of urban river for Municipal water supply in Lagos, Nigeria: Euro.J Scientific Res., 54(2), 263-271(2011).